

Technical information which needs to be provided to the UK NPPO before 01/01/21

The following information needs to be provided by third countries exporting to the UK, it must be submitted before 01 January 2021.

Please chose one of the following option when completing the table:

y = information communicated to United Kingdom
 x = information not provided
 n/a = not applicable

Name of country submitting the information: Australia

Table 1: Please refer to Annex 7 part A of the [Plant Health \(Phytosanitary Conditions\) \(Amendment\) \(EU Exit\) Regulations 2020](#) when completing these tables

		<i>Agrilus planipennis</i> Fairmaire			
		Plant species	50 – pest free areas	Date of latest communication	Review
50	Plants, other than fruit and seeds, of <i>Fraxinus</i> L., <i>Juglans ailantifolia</i> Carrière., <i>Juglans mandshurica</i> Maximowicz., <i>Ulmus davidiana</i> Planchon. and <i>Pterocarya rhoifolia</i> Siebold & Zuccarini. originating in Belarus, Canada, China, the Democratic People’s Republic of Korea, Japan, Kazakhstan, Mongolia, the Republic of Korea, Russia, Taiwan, Ukraine and the USA	<i>Fraxinus</i> L	n/a		
		<i>Juglans ailantifolia</i> Carrière.	n/a		
		<i>Juglans mandshurica</i> Maximowicz.	n/a		
		<i>Ulmus davidiana</i> Planchon	n/a		
		<i>Pterocarya rhoifolia</i> Siebold & Zuccarini.	n/a		

		country freedom	pest free areas	free place of production	systems approach	communication	
100	Fruits of <i>Solanaceae.</i> , originating in Australia, the Americas and New Zealand		x			December 2020	

<i>Neoleucinodes elegantalis</i> (Guenée)								
			101 (a) – country freedom	101 (b) – pest free areas	101 (c) - pest free place of production	101 (d) - systems approach	Date of latest communication	Review
101	Fruits of <i>Capsicum annuum</i> L., <i>Solanum aethiopicum</i> L., <i>Solanum lycopersicum</i> L. and <i>Solanum melongena</i> L. originating in any third country other than EU Member States, Liechtenstein and Switzerland	<i>Capsicum annuum</i> L.	x				December 2020	
		<i>Solanum aethiopicum</i> L.,	x				December 2020	
		<i>Solanum lycopersicum</i> L.	x				December 2020	
		<i>Solanum melongena</i> L.	x				December 2020	

<i>Neoleucinodes elegantalis</i> (Guenée)								
			101 (a) – country freedom	101 (b) – pest free areas	101 (c) - pest free place of production	101 (d) - systems approach	Date of latest communication	Review
101	Fruits of <i>Solanum lycopersicum</i> L. and <i>Solanum melongena</i> L. originating in any third	<i>Solanum lycopersicum</i> L.	x				December 2020	
		<i>Solanum melongena</i> L.	x				December 2020	

	country other than EU Member States, Liechtenstein and Switzerland	

		<i>Agrilus planipennis</i> Fairmaire			
		Species	125 – pest free areas	Date of latest communication	Review
125	Plants, other than fruit and seeds, of <i>Fraxinus</i> L., <i>Juglans ailantifolia</i> Carrière., <i>Juglans mandshurica</i> Maximowicz., <i>Ulmus davidiana</i> Planchon. and <i>Pterocarya rhoifolia</i> Siebold & Zuccarini. other than in the form of —chips, particles, sawdust, shavings, wood waste and scrap, obtained in whole or part from these trees —wood packaging material, except associated controlled dunnage, but including wood which has not kept its natural round surface, and furniture and other objects made of untreated wood originating in Belarus, Canada, China, the Democratic People's Republic of Korea, Japan,	<i>Fraxinus</i> L	n/a		
		<i>Juglans ailantifolia</i> Carrière.	n/a		
		<i>Juglans mandshurica</i> Maximowicz.	n/a		
		<i>Ulmus davidiana</i> Planchon	n/a		
		<i>Pterocarya rhoifolia</i> Siebold & Zuccarini.	n/a		

	Kazakhstan, Mongolia, the Republic of Korea, Russia, Taiwan, Ukraine and the USA				
--	--	--	--	--	--

		<i>Agrilus planipennis</i> Fairmaire			
		Species	126 – pest free areas	Date of latest communication	Review
126	Wood in the form of chips, particles, sawdust, shavings, wood waste and scrap obtained in whole or in part from <i>Fraxinus</i> L., <i>Juglans ailantifolia</i> Carr., <i>Juglans Mandshurica</i> Maxim., <i>Ulmus davidiana</i> Planch. and <i>Pterocarya rhoifolia</i> Siebold & Zucc. originating in Belarus, Canada, China, the Democratic People's Republic of Korea, Japan, Kazakhstan, Mongolia, the Republic of Korea, Russia, Taiwan, Ukraine and the USA	<i>Fraxinus</i> L	n/a		
		<i>Juglans ailantifolia</i> Carrière.	n/a		
		<i>Juglans mandshurica</i> Maximowicz.,	n/a		
		<i>Ulmus davidiana</i> Planchon	n/a		
		<i>Pterocarya rhoifolia</i> Siebold & Zuccarini.	n/a		

		<i>Agrilus planipennis</i> Fairmaire			
		Species	126 – pest free areas	Date of latest communication	Review
126	Isolated bark and objects made of bark of <i>Fraxinus</i> L., <i>Juglans ailantifolia</i> Carr., <i>Juglans Mandshurica</i> Maxim., <i>Ulmus davidiana</i> Planch. and <i>Pterocarya rhoifolia</i> Siebold & Zucc. originating in Belarus, Canada, China, the Democratic People's Republic of Korea, Japan, Kazakhstan, Mongolia, the Republic of Korea, Russia, Taiwan, Ukraine and the USA	<i>Fraxinus</i> L	n/a		
		<i>Juglans ailantifolia</i> Carrière.	n/a		
		<i>Juglans mandshurica</i> Maximowicz.,	n/a		
		<i>Ulmus davidiana</i> Planchon	n/a		
		<i>Pterocarya rhoifolia</i> Siebold & Zuccarini.	n/a		

Table 2: Please refer to Annex 7 part B of the Plant Health (Phytosanitary Conditions) (Amendment) (EU Exit) Regulations 2020 when completing these tables

		<i>Xylella fastidiosa</i> (Wells et al.)		
		2 – pest free country	Date of latest communication	Review
2	Plants for planting, other than seeds, which belong to the	Y	December 2020	

	genera and species listed in the list ¹ of <i>Xylella</i> host plants			
	Any third country where <i>Xylella fastidiosa</i> (Wells et al.) is known not to be present, other than EU Member States, Liechtenstein and Switzerland			

		<i>Xylella fastidiosa</i> (Wells et al.)			
		3a – pest free area	3b – pest free site of production	Date of latest communication	Review
3	Plants for planting, other than seeds, which belong to the genera and species listed in the list ¹ of <i>Xylella</i> host plants	n/a			
	Any third country where <i>Xylella fastidiosa</i> (Wells et al.) is known to be present, other than EU Member States, Liechtenstein and Switzerland				

¹ See table below.

List of *Xylella* hosts referred to in Table 2.

<i>Acacia</i>	<i>Acer</i>	<i>Albizia julibrissin</i>	<i>Alnus rhombifolia</i>	<i>Amaranthus retroflexus</i>
<i>Ampelopsis arborea</i>	<i>Ampelopsis brevipedunculata</i>	<i>Ampelopsis cordata</i>	<i>Anthyllis hermanniae</i>	<i>Asparagus acutifolius</i>
<i>Baccharis</i>	<i>Brassica</i>	<i>Calicotome spinosa</i>	<i>Calicotome villosa</i>	<i>Callicarpa americana</i>
<i>Callistemon citrinus</i>	<i>Calluna vulgaris</i>	<i>Carya</i>	<i>Catharanthus</i>	<i>Celtis occidentalis</i>
<i>Cercis canadensis</i>	<i>Cercis occidentalis</i>	<i>Cercis siliquastrum</i>	<i>Chamaecrista fasciculata</i>	<i>Chamaesyce canescens</i>
<i>Chenopodium album</i>	<i>Chionanthus</i>	<i>Chitalpa tashkentensis</i>	<i>Cistus</i>	<i>Citrus</i>
<i>Clematis cirrhosa</i>	<i>Coelorachis cylindrica</i>	<i>Coffea</i>	<i>Conium maculatum</i>	<i>Convolvulus cneorum</i>
<i>Coprosma repens</i>	<i>Coronilla glauca</i>	<i>Coronilla valentina</i>	<i>Cyperus eragrostis</i>	<i>Cytisus</i>
<i>Digitaria</i>	<i>Dimorphoteca</i>	<i>Diospyros kaki</i>	<i>Diplocyclos palmatus</i>	<i>Dodonaea viscosa</i>
<i>Elaeagnus angustifolia</i>	<i>Encelia farinose</i>	<i>Eremophila maculata</i>	<i>Erigeron</i>	<i>Erodium moschatum</i>
<i>Erysimum</i>	<i>Euphorbia chamaesyce</i>	<i>Euphorbia terracina</i>	<i>Euryops chrysanthemoides</i>	<i>Euryops pectinatus</i>
<i>Fagus crenata</i>	<i>Fallopia japonica</i>	<i>Fatsia japonica</i>	<i>Ficus carica</i>	<i>Frangula alnus</i>
<i>Fraxinus</i>	<i>Genista</i>	<i>Ginkgo biloba</i>	<i>Gleditsia triacanthos</i>	<i>Grevillea juniperina</i>
<i>Hebe</i>	<i>Helianthus Helichrysum</i>	<i>Heliotropium europaeum</i>	<i>Hemerocallis</i>	<i>Hevea brasiliensis</i>

<i>Hibiscus</i>	<i>Humulus scandens</i>	<i>Ilex aquifolium</i>	<i>Ilex vomitoria</i>	<i>Iva annua</i>
<i>Jacaranda mimosifolia</i>	<i>Juglans</i>	<i>Juniperus ashei</i>	<i>Koelreuteria bipinnata</i>	<i>Lagerstroemia</i>
<i>Laurus nobilis</i>	<i>Lavandula</i>	<i>Ligustrum</i>	<i>Lucidum</i>	<i>Liquidambar styraciflua</i>
<i>Lonicera japonica</i>	<i>Lupinus</i>	<i>Magnolia grandiflora</i>	<i>Mallotus paniculatus</i>	<i>Malva parviflora</i>
<i>Medicago arborea</i>	<i>Medicago sativa</i>	<i>Metrosideros</i>	<i>Mimosa</i>	<i>Modiola caroliniana</i>
<i>Morus</i>	<i>Myoporum insulare</i>	<i>Myrtus communis</i>	<i>Nandina domestica</i>	<i>Neptunia lutea</i>
<i>Nerium oleander</i>	<i>Olea</i>	<i>Osteospermum ecklonis</i>	<i>Osteospermum fruticosum</i>	<i>Parthenocissus quinquefolia</i>
<i>Paspalum dilatatum</i>	<i>Pelargonium</i>	<i>Persea americana</i>	<i>Phagnalon saxatile</i>	<i>Phillyrea angustifolia</i>
<i>Phillyrea latifolia</i>	<i>Phlomis fruticosa</i>	<i>Phoenix reclinata</i>	<i>Phoenix roebelenii</i>	<i>Pinus taeda</i>
<i>Pistacia vera</i>	<i>Plantago lanceolata</i>	<i>Platanus</i>	<i>Pluchea odorata</i>	<i>Polygala myrtifolia</i>
<i>Polygala x grandiflora</i>	<i>Prunus</i>	<i>Pterospartum tridentatum</i>	<i>Pyrus</i>	<i>Quercus</i>
<i>Ratibida columnifera</i>	<i>Rhamnus alaternus</i>	<i>Rhus</i>	<i>Robinia pseudoacacia</i>	<i>Rosa</i>
<i>Rosmarinus officinalis</i>	<i>Rubus</i>	<i>Salvia mellifera</i>	<i>Sambucus</i>	<i>Santolina chamaecyparissu</i>
<i>Sapindus saponaria</i>	<i>Sassafras</i>	<i>Setaria magna</i>	<i>Solidago fistulosa</i>	<i>Solidago virgaurea</i>
<i>Sorghum halepense</i>	<i>Spartium</i>	<i>Stewartia pseudocamellia</i>	<i>Strelitzia reginae</i>	<i>Streptocarpus</i>
<i>Symphotrichum divaricatum</i>	<i>Teucrium capitatum</i>	<i>Trifolium repens</i>	<i>Ulex</i>	<i>Ulmus</i>
<i>Vaccinium</i>	<i>Vinca</i>	<i>Vitis</i>	<i>Westringia fruticosa</i>	<i>Westringia glabra</i>

<i>Xanthium strumarium</i>				
----------------------------	--	--	--	--