

**Annex 2 to CPHO IPPC letter: Technical information which needs to be provided to the UK NPPO before 01/01/21**

**Tables: Third Country Phytosanitary Notification Requirements**

The following information needs to be provided by third countries exporting to the UK, it must be submitted before 01 January 2021.

Please chose one of the following option when completing the table

y = information communicated to United Kingdom  
 x = information not provided  
 n/a = not applicable

Country submitting the information: **Morocco**

**Table 1: Please refer to Annex 7 part A of the [Plant Health \(Phytosanitary Conditions\) \(Amendment\) \(EU Exit\) Regulations 2020](#) when completing these tables**

		<i>Agilus planipennis</i> Fairmaire			
		Plant species	50 – pest free areas	Date of latest communication	Review
<b>50</b>	Plants, other than fruit and seeds, of <i>Fraxinus</i> L., <i>Juglans ailantifolia</i> Carrière., <i>Juglans mandshurica</i> Maximowicz., <i>Ulmus davidiana</i> Planchon. and <i>Pterocarya rhoifolia</i> Siebold & Zuccarini. originating in Belarus, Canada, China, the Democratic People’s Republic of Korea, Japan, Kazakhstan, Mongolia, the Republic of Korea, Russia, Taiwan, Ukraine and the USA  <b>Note: <i>Fraxinus</i> sp., <i>Juglans</i> sp. and <i>Ulmus</i> sp. are prohibited under Annex 6 part B of Plant Health (Phytosanitary Conditions) (Amendment) (EU Exit) Regulations 2020</b>	<i>Fraxinus</i> L	n/a		
		<i>Juglans ailantifolia</i> Carrière.	n/a		
		<i>Juglans mandshurica</i> Maximowicz.	n/a		
		<i>Ulmus davidiana</i> Planchon	n/a		
		<i>Pterocarya rhoifolia</i> Siebold & Zuccarini.	n/a		

		<i>Grapholita packardi</i> Zeller			
		Plant species	69 – pest free areas	Date of latest communication	Review
<b>69</b>	Plants for planting , other than plants in tissue culture and seeds, of <i>Crataegus</i> L., <i>Cydonia</i> Mill., <i>Malus</i> Mill., <i>Prunus</i> L., <i>Pyrus</i> L. and <i>Vaccinium</i> L. originating in Canada, Mexico and the USA. <b>Note: <i>Crataegus</i> sp., <i>Malus</i> sp. and <i>Prunus</i> sp. prohibited under Annex 6 part B of Plant Health (Phytosanitary Conditions) (Amendment) (EU Exit) Regulations 2020</b>	<i>Crataegus</i> L.,	n/a		
		<i>Cydonia</i> Mill.	n/a		
		<i>Malus</i> Mill	n/a		
		<i>Prunus</i> L.	n/a		
		<i>Pyrus</i> L.	n/a		
		<i>Vaccinium</i> L.	n/a		

		<i>Thaumatotibia leucotreta</i> (Meyrick)					
		94 (a) – country freedom	94 (b) – pest free areas	94 (c)-systems approach + documentary evidence of effectiveness	62 (d)-post harvest treatment + documentary evidence of effectiveness	Date of latest communication	Review
<b>94</b>	Fruits of <i>Capsicum</i> (L.) originating in any country of the African continent, Cape Verde, Saint Helena, Madagascar, La Reunion, Mauritius, Israel	y	n/a	n/a	n/a	December 2020	

		<b><i>Grapholita packardi</i> Zeller</b>					
		Plant species	96 (a) – pest free areas	96 (b) – pest free place of production	96 (c)- systems approach	Date of latest communication	Review
<b>96</b>	Fruits of <i>Malus</i> Mill., <i>Prunus</i> L., <i>Pyrus</i> L. and <i>Vaccinium</i> L. originating in Canada, Mexico and the USA	<i>Malus</i> Mill	n/a	n/a	n/a		
		<i>Prunus</i> L.	n/a	n/a	n/a		
		<i>Pyrus</i> L.	n/a	n/a	n/a		
		<i>Vaccinium</i> L.	n/a	n/a	n/a		

		<b><i>Botryosphaeria kuwatsukai</i> (Hara) G.Y. Sun and E. Tanaka</b>					
		Plant species	97 (a) –country freedom	97 (b) – pest free areas	97 (c) - pest free place of production	97 (d) - systems approach	Date of latest communication / Review
<b>97</b>	Fruits of <i>Malus</i> Mill., <i>Pyrus</i> L. originating in any third country other than EU Member States, Liechtenstein and Switzerland	<i>Malus</i> Mill	y	n/a	n/a	n/a	December 2020
		<i>Pyrus</i> L.	y	n/a	n/a	n/a	December 2020

		<b><i>Anthonomus quadrigibbus</i> Say</b>					
		Plant species	98 (a) –country freedom	98 (b) – pest free areas	98 (c) - pest free place of production	98 (d) - systems approach	Date of latest communication / Review
<b>98</b>	Fruits of <i>Malus</i> Mill., <i>Pyrus</i> L. originating in any third country other than EU Member States, Liechtenstein and Switzerland	<i>Malus</i> Mill	y	n/a	n/a	n/a	December 2020
		<i>Pyrus</i> L.	y	n/a	n/a	n/a	December 2020

		<i>Grapholita prunivora</i> (Walsh), <i>Grapholita inopinata</i> (Heinrich) and <i>Rhagoletis pomonella</i> (Walsh)					
		99 (a) –country freedom	99 (b) – pest free areas	99 (c) - pest free place of production	99 (d) - systems approach	Date of latest communication	Review
99	Fruits of <i>Malus</i> Mill., originating in any third country other than EU Member States, Liechtenstein and Switzerland	y	n/a	n/a	n/a	December 2020	

		<i>Bactericera cockerelli</i> (Šulc.)					
		100 (a) – country freedom	100 (b) – pest free areas	100 (c) - pest free place of production	100 (d) - systems approach	Date of latest communication	Review
100	Fruits of <i>Solanaceae.</i> , originating in Australia, the Americas and New Zealand	n/a	n/a	n/a	n/a		

		<i>Neoleucinodes elegantalis</i> (Guenée)						
		Plant species	101 (a) – country freedom	101 (b) – pest free areas	101 (c) - pest free place of production	101 (d) - systems approach	Date of latest communication	Review
101	Fruits of <i>Capsicum annuum</i> L., <i>Solanum aethiopicum</i> L., <i>Solanum lycopersicum</i> L. and <i>Solanum melongena</i> L. originating in any third country other than EU Member States, Liechtenstein and Switzerland	<i>Capsicum annuum</i> L.	y	n/a	n/a	n/a	December 2020	
		<i>Solanum aethiopicum</i> L.,	y	n/a	n/a	n/a	December 2020	
		<i>Solanum lycopersicum</i> L.	y	n/a	n/a	n/a	December 2020	
		<i>Solanum melongena</i> L.	y	n/a	n/a	n/a	December 2020	

		<i>Neoleucinodes elegantalis</i> (Guenée)						
		Plant species	101 (a) – country freedom	101 (b) – pest free areas	101 (c) - pest free place of production	101 (d) - systems approach	Date of latest communication	Review
<b>101</b>	Fruits of <i>Solanum lycopersicum</i> L. and <i>Solanum melongena</i> L. originating in any third country other than EU Member States, Liechtenstein and Switzerland	<i>Solanum lycopersicum</i> L.	y	n/a	n/a	n/a	December 2020	
		<i>Solanum melongena</i> L.	y	n/a	n/a	n/a	December 2020	

		<i>Agrilus planipennis</i> Fairmaire			
		Species	125 – pest free areas	Date of latest communication	Review
<b>125</b>	Plants, other than fruit and seeds, of <i>Fraxinus</i> L., <i>Juglans ailantifolia</i> Carrière., <i>Juglans mandshurica</i> Maximowicz., <i>Ulmus davidiana</i> Planchon. and <i>Pterocarya rhoifolia</i> Siebold & Zuccarini. other than in the form of —chips, particles, sawdust, shavings, wood waste and scrap, obtained in whole or part from these trees —wood packaging material, except associated controlled dunnage, but including wood which has not kept its natural round surface, and	<i>Fraxinus</i> L.	n/a		
		<i>Juglans ailantifolia</i> Carrière.	n/a		
		<i>Juglans mandshurica</i> Maximowicz.	n/a		
		<i>Ulmus davidiana</i> Planchon	n/a		
		<i>Pterocarya rhoifolia</i> Siebold & Zuccarini.	n/a		

	furniture and other objects made of untreated wood originating in Belarus, Canada, China, the Democratic People's Republic of Korea, Japan, Kazakhstan, Mongolia, the Republic of Korea, Russia, Taiwan, Ukraine and the USA				
--	--	--	--	--	--

		<i>Agrilus planipennis</i> Fairmaire			
		Species	126 – pest free areas	Date of latest communication	Review
<b>126</b>	Wood in the form of chips, particles, sawdust, shavings, wood waste and scrap obtained in whole or in part from <i>Fraxinus</i> L., <i>Juglans ailantifolia</i> Carr., <i>Juglans Mandshurica</i> Maxim., <i>Ulmus davidiana</i> Planch. and <i>Pterocarya rhoifolia</i> Siebold & Zucc. originating in Belarus, Canada, China, the Democratic People's Republic of Korea, Japan, Kazakhstan, Mongolia, the Republic of Korea, Russia, Taiwan, Ukraine and the USA	<i>Fraxinus</i> L	n/a		
		<i>Juglans ailantifolia</i> Carrière.	n/a		
		<i>Juglans mandshurica</i> Maximowicz.,	n/a		
		<i>Ulmus davidiana</i> Planchon	n/a		
		<i>Pterocarya rhoifolia</i> Siebold & Zuccarini.	n/a		

		<i>Agilus planipennis</i> Fairmaire			
		Species	126 – pest free areas	Date of latest communication	Review
<b>126</b>	Isolated bark and objects made of bark of <i>Fraxinus</i> L., <i>Juglans ailantifolia</i> Carr., <i>Juglans Mandshurica</i> Maxim., <i>Ulmus davidiana</i> Planch. and <i>Pterocarya rhoifolia</i> Siebold & Zucc. originating in Belarus, Canada, China, the Democratic People's Republic of Korea, Japan, Kazakhstan, Mongolia, the Republic of Korea, Russia, Taiwan, Ukraine and the USA	<i>Fraxinus</i> L	n/a		
		<i>Juglans ailantifolia</i> Carrière.	n/a		
		<i>Juglans mandshurica</i> Maximowicz.,	n/a		
		<i>Ulmus davidiana</i> Planchon	n/a		
		<i>Pterocarya rhoifolia</i> Siebold & Zuccarini.	n/a		

**Table 2: Please refer to Annex 7 part B of the Plant Health (Phytosanitary Conditions) (Amendment) (EU Exit) Regulations 2020 when completing these tables**

		<i>Xylella fastidiosa</i> (Wells et al.)		
		2 – pest free country	Date of latest communication	Review
<b>2</b>	Plants for planting, other than seeds, which belong to the genera and species listed in the list <sup>1</sup> of <i>Xylella</i> host plants  Any third country where <i>Xylella fastidiosa</i> (Wells et al.) is known not to be present, other than EU Member States, Liechtenstein and Switzerland	y	December 2020	

		<i>Xylella fastidiosa</i> (Wells et al.)			
		3a – pest free area	3b – pest free site of production	Date of latest communication	Review
<b>3</b>	Plants for planting, other than seeds, which belong to the genera and species listed in the list <sup>1</sup> of <i>Xylella</i> host plants  Any third country where <i>Xylella fastidiosa</i> (Wells et al.) is known to be present, other than EU Member States, Liechtenstein and Switzerland	n/a	n/a		

---

<sup>1</sup> See table below.



**List of *Xylella* hosts referred to in Table 2.**

<i>Acacia</i>	<i>Acer</i>	<i>Albizia julibrissin</i>	<i>Alnus rhombifolia</i>	<i>Amaranthus retroflexus</i>
<i>Ampelopsis arborea</i>	<i>Ampelopsis brevipedunculata</i>	<i>Ampelopsis cordata</i>	<i>Anthyllis hermanniae</i>	<i>Asparagus acutifolius</i>
<i>Baccharis</i>	<i>Brassica</i>	<i>Calicotome spinosa</i>	<i>Calicotome villosa</i>	<i>Callicarpa americana</i>
<i>Callistemon citrinus</i>	<i>Calluna vulgaris</i>	<i>Carya</i>	<i>Catharanthus</i>	<i>Celtis occidentalis</i>
<i>Cercis canadensis</i>	<i>Cercis occidentalis</i>	<i>Cercis siliquastrum</i>	<i>Chamaecrista fasciculata</i>	<i>Chamaesyce canescens</i>
<i>Chenopodium album</i>	<i>Chionanthus</i>	<i>Chitalpa tashkentensis</i>	<i>Cistus</i>	<i>Citrus</i>
<i>Clematis cirrhosa</i>	<i>Coelorachis cylindrica</i>	<i>Coffea</i>	<i>Conium maculatum</i>	<i>Convolvulus cneorum</i>
<i>Coprosma repens</i>	<i>Coronilla glauca</i>	<i>Coronilla valentina</i>	<i>Cyperus eragrostis</i>	<i>Cytisus</i>
<i>Digitaria</i>	<i>Dimorphoteca</i>	<i>Diospyros kaki</i>	<i>Diplocyclos palmatus</i>	<i>Dodonaea viscosa</i>
<i>Elaeagnus angustifolia</i>	<i>Encelia farinose</i>	<i>Eremophila maculata</i>	<i>Erigeron</i>	<i>Erodium moschatum</i>
<i>Erysimum</i>	<i>Euphorbia chamaesyce</i>	<i>Euphorbia terracina</i>	<i>Euryops chrysanthemoides</i>	<i>Euryops pectinatus</i>
<i>Fagus crenata</i>	<i>Fallopia japonica</i>	<i>Fatsia japonica</i>	<i>Ficus carica</i>	<i>Frangula alnus</i>
<i>Fraxinus</i>	<i>Genista</i>	<i>Ginkgo biloba</i>	<i>Gleditsia triacanthos</i>	<i>Grevillea juniperina</i>
<i>Hebe</i>	<i>Helianthus Helichrysum</i>	<i>Heliotropium europaeum</i>	<i>Hemerocallis</i>	<i>Hevea brasiliensis</i>
<i>Hibiscus</i>	<i>Humulus scandens</i>	<i>Ilex aquifolium</i>	<i>Ilex vomitoria</i>	<i>Iva annua</i>
<i>Jacaranda mimosifolia</i>	<i>Juglans</i>	<i>Juniperus ashei</i>	<i>Koelreuteria bipinnata</i>	<i>Lagerstroemia</i>
<i>Laurus nobilis</i>	<i>Lavandula</i>	<i>Ligustrum</i>	<i>Lucidum</i>	<i>Liquidambar styraciflua</i>

<i>Lonicera japonica</i>	<i>Lupinus</i>	<i>Magnolia grandiflora</i>	<i>Mallotus paniculatus</i>	<i>Malva parviflora</i>
<i>Medicago arborea</i>	<i>Medicago sativa</i>	<i>Metrosideros</i>	<i>Mimosa</i>	<i>Modiola caroliniana</i>
<i>Morus</i>	<i>Myoporum insulare</i>	<i>Myrtus communis</i>	<i>Nandina domestica</i>	<i>Neptunia lutea</i>
<i>Nerium oleander</i>	<i>Olea</i>	<i>Osteospermum ecklonis</i>	<i>Osteospermum fruticosum</i>	<i>Parthenocissus quinquefolia</i>
<i>Paspalum dilatatum</i>	<i>Pelargonium</i>	<i>Persea americana</i>	<i>Phagnalon saxatile</i>	<i>Phillyrea angustifolia</i>
<i>Phillyrea latifolia</i>	<i>Phlomis fruticosa</i>	<i>Phoenix reclinata</i>	<i>Phoenix roebelenii</i>	<i>Pinus taeda</i>
<i>Pistacia vera</i>	<i>Plantago lanceolata</i>	<i>Platanus</i>	<i>Pluchea odorata</i>	<i>Polygala myrtifolia</i>
<i>Polygala x grandiflora</i>	<i>Prunus</i>	<i>Pterospartum tridentatum</i>	<i>Pyrus</i>	<i>Quercus</i>
<i>Ratibida columnifera</i>	<i>Rhamnus alaternus</i>	<i>Rhus</i>	<i>Robinia pseudoacacia</i>	<i>Rosa</i>
<i>Rosmarinus officinalis</i>	<i>Rubus</i>	<i>Salvia mellifera</i>	<i>Sambucus</i>	<i>Santolina chamaecyparissu</i>
<i>Sapindus saponaria</i>	<i>Sassafras</i>	<i>Setaria magna</i>	<i>Solidago fistulosa</i>	<i>Solidago virgaurea</i>
<i>Sorghum halepense</i>	<i>Spartium</i>	<i>Stewartia pseudocamellia</i>	<i>Strelitzia reginae</i>	<i>Streptocarpus</i>
<i>Symphotrichum divaricatum</i>	<i>Teucrium capitatum</i>	<i>Trifolium repens</i>	<i>Ulex</i>	<i>Ulmus</i>
<i>Vaccinium</i>	<i>Vinca</i>	<i>Vitis</i>	<i>Westringia fruticosa</i>	<i>Westringia glabra</i>
<i>Xanthium strumarium</i>				