

**Technical information which needs to be provided to the UK NPPO before 01/01/21**

The following information needs to be provided by third countries exporting to the UK, it must be submitted before 01 January 2021.

Please chose one of the following option when completing the table:

y = information communicated to United Kingdom  
 x = information not provided  
 n/a = not applicable

**Name of country submitting the information: The Republic of Korea**

**Table 1: Please refer to Annex 7 part A of the [Plant Health \(Phytosanitary Conditions\) \(Amendment\) \(EU Exit\) Regulations 2020](#) when completing these tables**

		<i>Agrilus planipennis</i> Fairmaire			
		Plant species	50 – pest free areas	Date of latest communication	Review
50	Plants, other than fruit and seeds, of <i>Fraxinus</i> L., <i>Juglans ailantifolia</i> Carrière., <i>Juglans mandshurica</i> Maximowicz., <i>Ulmus davidiana</i> Planchon. and <i>Pterocarya rhoifolia</i> Siebold & Zuccarini. originating in Belarus, Canada, China, the Democratic People’s Republic of Korea, Japan, Kazakhstan, Mongolia, the Republic of Korea, Russia, Taiwan, Ukraine and the USA	<i>Fraxinus</i> L	n/a	January 7, 2021	
		<i>Juglans ailantifolia</i> Carrière.	n/a	January 7, 2021	
		<i>Juglans mandshurica</i> Maximowicz.	n/a	January 7, 2021	
		<i>Ulmus davidiana</i> Planchon	n/a	January 7, 2021	
		<i>Pterocarya rhoifolia</i> Siebold & Zuccarini.	n/a	January 7, 2021	

**Note: *Fraxinus sp.*, *Juglans sp.* and *Ulmus sp.* are prohibited under Annex 6 part B of Plant Health (Phytosanitary Conditions) (Amendment) (EU Exit) Regulations 2020**

<i>Botryosphaeria kuwatsukai</i> (Hara) G.Y. Sun and E. Tanaka							
		Plant species	97 (a) –country freedom	97 (b) – pest free areas	97 (c) - pest free place of production	97 (d) - systems approach	Date of latest communication / Review
97	Fruits of <i>Malus</i> Mill., <i>Pyrus</i> L. originating in any third country other than EU Member States, Liechtenstein and Switzerland	<i>Malus</i> Mill	y				- <b>February 15, 2019</b> (The Korea NPPO submitted its opinion to the EU.) → - <b>April 12, 2019</b> (The EU accepted Korea's opinion.) * <b>Reference</b> CABI, 2019b; EPPO Global Database, 2002; CABI, 2019a
		<i>Pyrus</i> L.	y				- <b>February 15, 2019</b> (The Korea NPPO submitted its opinion to the EU.) → - <b>April 12, 2019</b> (The EU accepted Korea's opinion.) * <b>Reference</b> CABI, 2019b; EPPO Global Database, 2002; CABI, 2019a

		<i>Anthonomus quadrigibbus</i> Say					
		Plant species	98 (a) –country freedom	98 (b) – pest free areas	98 (c) - pest free place of production	98 (d) - systems approach	Date of latest communication / Review
98	Fruits of <i>Malus</i> Mill., <i>Pyrus</i> L. originating in any third country other than EU Member States, Liechtenstein and Switzerland	<i>Malus</i> Mill	y				- <b>February 15, 2019</b> (The Korea NPPO submitted its opinion to the EU.) → - <b>April 12, 2019</b> (The EU accepted Korea's opinion.) * <b>Reference</b> Hong, et al., 2000; Hong, et al., 2012; Paek, et al., 2010
		<i>Pyrus</i> L.	y				- <b>February 15, 2019</b> (The Korea NPPO submitted its opinion to the EU.) → - <b>April 12, 2019</b> (The EU accepted Korea's opinion.) * <b>Reference</b> Hong, et al., 2000; Hong, et al., 2012; Paek, et al., 2010

		<i>Grapholita prunivora</i> (Walsh), <i>Grapholita inopinata</i> (Heinrich) and <i>Rhagoletis pomonella</i> (Walsh)					
		99 (a) –country freedom	99 (b) – pest free areas	99 (c) - pest free place of production	99 (d) - systems approach	Date of latest communication	Review
99	Fruits of <i>Malus</i> Mill., originating in any third country other than EU Member States,	y				- <b>February 15, 2019</b> (The Korea NPPO submitted its opinion to the	* <b>Reference</b> Byun, et al., 1998; Bae, 2011; Bae, et al., 2012a;

	Liechtenstein and Switzerland					EU.) → - <b>April 12, 2019</b> (The EU accepted Korea's opinion.)	Bae, et al., 2012b; Paek, et al., 2010; Han, et al., 2014; Han, et al., 2017;
--	-------------------------------	--	--	--	--	---	--

<i>Neoleucinodes elegantalis</i> (Guenée)							
		101 (a) – country freedom	101 (b) – pest free areas	101 (c) - pest free place of production	101 (d) - systems approach	Date of latest communication	Review
101	Fruits of <i>Capsicum annuum</i> L., <i>Solanum aethiopicum</i> L., <i>Solanum lycopersicum</i> L. and <i>Solanum melongena</i> L. originating in any third country other than EU Member States, Liechtenstein and Switzerland	<i>Capsicum annuum</i> L. y				- <b>February 15, 2019</b> (The Korea NPPO submitted its opinion to the EU.) → - <b>April 12, 2019</b> (The EU accepted Korea's opinion.)	* <b>Reference</b> Bae, 2001; Bae, 2004; Byun, et al., 2009; Paek, et al., 2010
		<i>Solanum aethiopicum</i> L. y				- <b>February 15, 2019</b> (The Korea NPPO submitted its opinion to the EU.) → - <b>April 12, 2019</b> (The EU accepted Korea's opinion.)	* <b>Reference</b> Bae, 2001; Bae, 2004; Byun, et al., 2009; Paek, et al., 2010
		<i>Solanum lycopersicum</i> L. y				- <b>February 15, 2019</b> (The Korea NPPO submitted its opinion to the EU.) → - <b>April 12, 2019</b> (The EU accepted Korea's opinion.)	* <b>Reference</b> Bae, 2001; Bae, 2004; Byun, et al., 2009; Paek, et al., 2010
		<i>Solanum melongena</i> L. y				- <b>February 15, 2019</b> (The Korea NPPO submitted its opinion to the EU.) → - <b>April 12, 2019</b> (The EU accepted Korea's opinion.)	* <b>Reference</b> Bae, 2001; Bae, 2004; Byun, et al., 2009; Paek, et al., 2010

		<i>Agrilus planipennis</i> Fairmaire			
		Species	125 – pest free areas	Date of latest communication	Review
125	Plants, other than fruit and seeds, of <i>Fraxinus</i> L., <i>Juglans ailantifolia</i> Carrière., <i>Juglans mandshurica</i> Maximowicz., <i>Ulmus davidiana</i> Planchon. and <i>Pterocarya rhoifolia</i> Siebold & Zuccarini. other than in the form of —chips, particles, sawdust, shavings, wood waste and scrap, obtained in whole or part from these trees —wood packaging material, except associated controlled dunnage, but including wood which has not kept its natural round surface, and furniture and other objects made of untreated wood originating in Belarus, Canada, China, the Democratic People's Republic of Korea, Japan, Kazakhstan, Mongolia, the Republic of Korea, Russia, Taiwan, Ukraine and the USA	<i>Fraxinus</i> L	n/a	January 7, 2021	
		<i>Juglans ailantifolia</i> Carrière.	n/a	January 7, 2021	
		<i>Juglans mandshurica</i> Maximowicz.	n/a	January 7, 2021	
		<i>Ulmus davidiana</i> Planchon	n/a	January 7, 2021	
		<i>Pterocarya rhoifolia</i> Siebold & Zuccarini.	n/a	January 7, 2021	

		<i>Agrilus planipennis</i> Fairmaire			
		Species	126 – pest free areas	Date of latest communication	Review
126	Wood in the form of chips, particles, sawdust, shavings, wood waste and scrap obtained in whole or in part from <i>Fraxinus</i> L., <i>Juglans ailantifolia</i> Carr., <i>Juglans Mandshurica</i> Maxim., <i>Ulmus davidiana</i> Planch. and <i>Pterocarya rhoifolia</i> Siebold & Zucc. originating in Belarus, Canada, China, the Democratic People's Republic of Korea, Japan, Kazakhstan, Mongolia, the Republic of Korea, Russia, Taiwan, Ukraine and the USA	<i>Fraxinus</i> L	n/a	January 7, 2021	
		<i>Juglans ailantifolia</i> Carrière.	n/a	January 7, 2021	
		<i>Juglans mandshurica</i> Maximowicz.,	n/a	January 7, 2021	
		<i>Ulmus davidiana</i> Planchon	n/a	January 7, 2021	
		<i>Pterocarya rhoifolia</i> Siebold & Zuccarini.	n/a	January 7, 2021	

		<i>Agrilus planipennis</i> Fairmaire			
		Species	126 – pest free areas	Date of latest communication	Review
126	Isolated bark and objects made of bark of <i>Fraxinus</i> L., <i>Juglans ailantifolia</i> Carr., <i>Juglans Mandshurica</i> Maxim., <i>Ulmus davidiana</i> Planch. and <i>Pterocarya rhoifolia</i> Siebold & Zucc. originating in Belarus,	<i>Fraxinus</i> L	n/a	January 7, 2021	
		<i>Juglans ailantifolia</i> Carrière.	n/a	January 7, 2021	
		<i>Juglans mandshurica</i> Maximowicz.,	n/a	January 7, 2021	
		<i>Ulmus davidiana</i> Planchon	n/a	January 7, 2021	
		<i>Pterocarya rhoifolia</i> Siebold & Zuccarini.	n/a	January 7, 2021	

	Canada, China, the Democratic People's Republic of Korea, Japan, Kazakhstan, Mongolia, the Republic of Korea, Russia, Taiwan, Ukraine and the USA				
--	---	--	--	--	--

**Table 2: Please refer to Annex 7 part B of the Plant Health (Phytosanitary Conditions) (Amendment) (EU Exit) Regulations 2020 when completing these tables**

		<i>Xylella fastidiosa</i> (Wells et al.)		
		2 – pest free country	Date of latest communication	Review
2	Plants for planting, other than seeds, which belong to the genera and species listed in the list <sup>1</sup> of <i>Xylella</i> host plants  Any third country where <i>Xylella fastidiosa</i> (Wells et al.) is known not to be present, other than EU Member States, Liechtenstein and Switzerland	y	- <b>October 9, 2020</b> (The EU requested the Korea NPPO to submit a declaration informing the Commission about the status of this pest in Korea.) → - <b>November 30, 2020</b> (The Korea NPPO submitted its opinion to the EU.)	* The Korea NPPO informed the EU that <i>Xylella fastidiosa</i> is known not to be present in the Republic of Korea on the basis of a test listed in Annex IV of Commission Implementing Regulation (EU) 2020/1201, and in accordance with relevant ISPM measures.

<sup>1</sup> See table below.

**List of *Xylella* hosts referred to in Table 2.**

<i>Acacia</i>	<i>Acer</i>	<i>Albizia julibrissin</i>	<i>Alnus rhombifolia</i>	<i>Amaranthus retroflexus</i>
<i>Ampelopsis arborea</i>	<i>Ampelopsis brevipedunculata</i>	<i>Ampelopsis cordata</i>	<i>Anthyllis hermanniae</i>	<i>Asparagus acutifolius</i>
<i>Baccharis</i>	<i>Brassica</i>	<i>Calicotome spinosa</i>	<i>Calicotome villosa</i>	<i>Callicarpa americana</i>
<i>Callistemon citrinus</i>	<i>Calluna vulgaris</i>	<i>Carya</i>	<i>Catharanthus</i>	<i>Celtis occidentalis</i>
<i>Cercis canadensis</i>	<i>Cercis occidentalis</i>	<i>Cercis siliquastrum</i>	<i>Chamaecrista fasciculata</i>	<i>Chamaesyce canescens</i>
<i>Chenopodium album</i>	<i>Chionanthus</i>	<i>Chitalpa tashkentensis</i>	<i>Cistus</i>	<i>Citrus</i>
<i>Clematis cirrhosa</i>	<i>Coelorachis cylindrica</i>	<i>Coffea</i>	<i>Conium maculatum</i>	<i>Convolvulus cneorum</i>
<i>Coprosma repens</i>	<i>Coronilla glauca</i>	<i>Coronilla valentina</i>	<i>Cyperus eragrostis</i>	<i>Cytisus</i>
<i>Digitaria</i>	<i>Dimorphoteca</i>	<i>Diospyros kaki</i>	<i>Diplocyclos palmatus</i>	<i>Dodonaea viscosa</i>
<i>Elaeagnus angustifolia</i>	<i>Encelia farinose</i>	<i>Eremophila maculata</i>	<i>Erigeron</i>	<i>Erodium moschatum</i>
<i>Erysimum</i>	<i>Euphorbia chamaesyce</i>	<i>Euphorbia terracina</i>	<i>Euryops chrysanthemoides</i>	<i>Euryops pectinatus</i>
<i>Fagus crenata</i>	<i>Fallopia japonica</i>	<i>Fatsia japonica</i>	<i>Ficus carica</i>	<i>Frangula alnus</i>
<i>Fraxinus</i>	<i>Genista</i>	<i>Ginkgo biloba</i>	<i>Gleditsia triacanthos</i>	<i>Grevillea juniperina</i>
<i>Hebe</i>	<i>Helianthus Helichrysum</i>	<i>Heliotropium europaeum</i>	<i>Hemerocallis</i>	<i>Hevea brasiliensis</i>
<i>Hibiscus</i>	<i>Humulus scandens</i>	<i>Ilex aquifolium</i>	<i>Ilex vomitoria</i>	<i>Iva annua</i>
<i>Jacaranda mimosifolia</i>	<i>Juglans</i>	<i>Juniperus ashei</i>	<i>Koelreuteria bipinnata</i>	<i>Lagerstroemia</i>



<i>Laurus nobilis</i>	<i>Lavandula</i>	<i>Ligustrum</i>	<i>Lucidum</i>	<i>Liquidambar styraciflua</i>
<i>Lonicera japonica</i>	<i>Lupinus</i>	<i>Magnolia grandiflora</i>	<i>Mallotus paniculatus</i>	<i>Malva parviflora</i>
<i>Medicago arborea</i>	<i>Medicago sativa</i>	<i>Metrosideros</i>	<i>Mimosa</i>	<i>Modiola caroliniana</i>
<i>Morus</i>	<i>Myoporum insulare</i>	<i>Myrtus communis</i>	<i>Nandina domestica</i>	<i>Neptunia lutea</i>
<i>Nerium oleander</i>	<i>Olea</i>	<i>Osteospermum ecklonis</i>	<i>Osteospermum fruticosum</i>	<i>Parthenocissus quinquefolia</i>
<i>Paspalum dilatatum</i>	<i>Pelargonium</i>	<i>Persea americana</i>	<i>Phagnalon saxatile</i>	<i>Phillyrea angustifolia</i>
<i>Phillyrea latifolia</i>	<i>Phlomis fruticosa</i>	<i>Phoenix reclinata</i>	<i>Phoenix roebelenii</i>	<i>Pinus taeda</i>
<i>Pistacia vera</i>	<i>Plantago lanceolata</i>	<i>Platanus</i>	<i>Pluchea odorata</i>	<i>Polygala myrtifolia</i>
<i>Polygala x grandiflora</i>	<i>Prunus</i>	<i>Pterospartum tridentatum</i>	<i>Pyrus</i>	<i>Quercus</i>
<i>Ratibida columnifera</i>	<i>Rhamnus alaternus</i>	<i>Rhus</i>	<i>Robinia pseudoacacia</i>	<i>Rosa</i>
<i>Rosmarinus officinalis</i>	<i>Rubus</i>	<i>Salvia mellifera</i>	<i>Sambucus</i>	<i>Santolina chamaecyparissu</i>
<i>Sapindus saponaria</i>	<i>Sassafras</i>	<i>Setaria magna</i>	<i>Solidago fistulosa</i>	<i>Solidago virgaurea</i>
<i>Sorghum halepense</i>	<i>Spartium</i>	<i>Stewartia pseudocamellia</i>	<i>Strelitzia reginae</i>	<i>Streptocarpus</i>
<i>Symphotrichum divaricatum</i>	<i>Teucrium capitatum</i>	<i>Trifolium repens</i>	<i>Ulex</i>	<i>Ulmus</i>
<i>Vaccinium</i>	<i>Vinca</i>	<i>Vitis</i>	<i>Westringia fruticosa</i>	<i>Westringia glabra</i>
<i>Xanthium strumarium</i>				

## <Reference>

- \* Bae, Y. S., 2001. Lepidoptera (Pyraloidea: Crambidae and Pyralidae). Economic Insects of Korea 9. Ins. Koreana Suppl. 16, 252pp.
- \* Bae, Y. S., 2004. Superfamily Pyraloidea II (Phycitinae & Crambinae etc.). Economic Insects of Korea 22. Ins. Koreana Suppl. 29, 207pp.
- \* Bae, Y. S., 2011. Arthropoda: Insect: Lepidoptera: Tortricidae: Olethreutinae. Leafroller I. Inset Fauna of Kora Volume 16, No. 1. pp.167.
- \* Bae, Y. S., B. K. Byun and M. S. Kim, 2012a. Arthropoda: Insect: Lepidoptera: Tortricidae: Olethreutinae. Leafroller III. Inset Fauna of Kora Volume 16, Number 8. pp.146.
- \* Bae, Y. S., D. Y. Chae and N. H. Ahn, 2012b. Arthropoda: Insect: Lepidoptera: Tortricidae: Olethreutinae. Leafroller II. Inset Fauna of Kora Volume 16, Number 3. pp.143.
- \* Byun, B. K., K. T. Park, Y. S. Bae and B. W. Lee, 2009. A Checklist of the Microlepidoptera in Korea (Lepidoptera). Korea National Arboretum, Samsungad-com, Seoul, pp.413.
- \* Byun, B. K., Y. S. Bae and K. T. Park, 1998. Illustrated Catalogue of Tortricidae in Korea (Lepidoptera). *In* Park, K. T. (eds): Insects of Korea [2]. pp.317.
- \* CABI, 2019a. Crop protection compendium. Commonwealth Agricultural Bureau International (<http://www.cabi.org/cpc/datasheet/9627>)
- \* CABI, 2019b. Crop protection compendium. Commonwealth Agricultural Bureau International (<http://www.cabi.org/cpc/datasheet/40842>)
- \* EPPO Global Database, 2002. *Botryosphaeria berengeiana* f. sp. *pyricola*. (<https://gd.eppo.int/taxon/PHYOPI/documents>)
- \* Han, H. Y., S. W. Suk, Y. B. Lee and H. S. Lee, 2014. National List of Species of Korea 「Insect」 (Diptera II). National Institute of Biological Resources. Incheon. 1-268pp.
- \* Han, H. Y., D. S. Choi and K. E. Ro, 2017. Taxonomy of Korean Bactrocera (Diptera: Tephritidae: Dacinae) with review of their biology. Journal of Asia-Pacific Entomology 20: 1321-1332.
- \* Hong, K. J., A. B. Egorov and B. A. Korotyaev, 2000. Illustrated Catalogue of Curculionidae in Korea (Coleoptera). *In* Park, K. T. (eds): Insects of Korea [5]. pp.340.
- \* Hong, K. J., S. W. Park and K. D. Han, 2012. Arthropoda: Insect: Coeloptera: Curculionidae: Curculioninae, Cossoninae, Mesoptiliinae. Weevils II. Inset Fauna of Kora Volume 12, Number 7. pp.179.
- \* Kim, S. B., C. S. Kim, 1989. Pathogenicity and ecology of apple rot caused by *Botryosphaeria dothidea*. III. Comparison of resistance to apple rot among several cultivars. Journal of the Korean Society for Horticultural Science. 30(3):207-214.
- \* List of Plant Disease in Korea. 2009. The Korean Society of Plant Pathology.
- \* Paek, M. K. *et al.*, 2010. Checklist of Korean Insects. In Paek, M. K. and Cho. Y. K. (eds.): <Nature & Ecology> Academic Series 2, Nature & Ecology, pp.598.