

Changes to the EU's Phytosanitary Conditions Regulation ([Regulation \(EU\) 2019/2072](#))

Commodity	Previous requirements	New requirements	Comments
Annex V - RNQPs			
Plant for planting of pear (for ornamental use)	Part C of requirements: 'no more than 2 % of plants in the site of production have shown symptoms during visual inspections at appropriate times during the last growing season, and those symptomatic plants and any symptomatic plants in the immediate vicinity have been rogued out and destroyed immediately'	Part C of requirements: 'the plants in the site of production and any plants in the immediate vicinity, which have shown symptoms of <i>Candidatus Phytoplasma pyri</i> Seemüller & Schneider during visual inspections at appropriate times during the last three growing seasons, have been rogued out and destroyed immediately'	The limit of no more than 2% of plants on the site of production removed. Plants with symptoms must now be removed over 3 growing seasons, instead of 1.
Annex VII - QPs			
Plants for planting, other than bulbs, corms, rhizomes, seeds, tubers, and plants in tissue culture		(a) have been grown in nurseries, which are registered and supervised by the national plant protection organisation of the country of origin, and (b) have been inspected at appropriate times and prior to export.	This is a new general requirement
Plants for planting with roots, other than plants in tissue culture	No previous requirements for <i>Meloidogyne enterolobii</i>	Official statement that the plants: (a) originate in a country established by the national plant protection organisation in the country of origin as being free from <i>Meloidogyne enterolobii</i> Yang & Eisenback in accordance with the relevant International Standards for Phytosanitary Measures. Other option but not applicable to GB.	Will need an AD ¹ in relation to <i>Meloidogyne enterolobii</i> , which is absent from GB.
Tubers of <i>Solanum tuberosum</i> L., for planting	No previous requirements for <i>Meloidogyne enterolobii</i>	Official statement that the tubers: (a) originate in a country recognised as	Seed potatoes are currently prohibited for GB to EU.

¹ Additional declaration (AD) on the phytosanitary certificate (PC)

		<p>being free from <i>Meloidogyne chitwoodi</i> Golden et al., <i>Meloidogyne enterolobii</i> Yang & Eisenback and <i>Meloidogyne fallax</i> Karssen in accordance with the relevant International Standards for Phytosanitary Measures.</p> <p>Other option but not applicable to GB.</p>	
Plants for planting of Cucurbitaceae Juss. and Solanaceae Juss., other than bulbs, corms, rhizomes, pollen, seeds, tubers, and plants in tissue culture	No previous requirements for <i>Ceratothripoides claratris</i>	<p>Official statement that the plants:</p> <p>(a) originate in a country recognised as being free from <i>Ceratothripoides claratris</i> (Shumsher) in accordance with the relevant International Standards for Phytosanitary Measures.</p> <p>Other option but not applicable to GB.</p>	Will need AD ¹ in relation to <i>Ceratothripoides claratris</i> , which is absent from GB.
Plants for planting of <i>Euphorbia pulcherrima</i> Willd., <i>Fragaria</i> L. and <i>Rubus</i> L., other than plants in tissue culture, pollen and seeds	No previous specific import requirements for <i>Eotetranychus lewisi</i> , although was a Union quarantine pest.	<p>Official statement that the plants:</p> <p>(a) originate in a country recognised as being free from <i>Eotetranychus lewisi</i> (McGregor) in accordance with the relevant International Standards for Phytosanitary Measures.</p> <p>Other option but not applicable to GB.</p>	Will need AD ¹ in relation to <i>Eotetranychus lewisi</i> , which is absent from GB.
Plant for planting of ... (long list of host of <i>Euwallacea fornicatus sensu lato</i> ²)	No previous requirements for <i>Euwallacea fornicatus sensu lato</i>	<p>Official statement that the plants:</p> <p>(a) originate in a country recognised as being free from <i>Euwallacea fornicatus sensu lato</i> in accordance with the relevant International Standards for Phytosanitary Measures.</p> <p>Other option but not applicable to GB.</p>	Will need AD ¹ in relation to <i>Euwallacea fornicatus sensu lato</i> , which is absent from GB.

Wood of ...(long list of hosts of <i>Euwallacea fornicatus sensu lato</i> ²)	No previous requirements for <i>Euwallacea fornicatus sensu lato</i>	Official statement that the wood: (a) originates in a country recognised as being free from <i>Euwallacea fornicatus sensu lato</i> in accordance with the relevant International Standards for Phytosanitary Measures. Other option but not applicable to GB.	Wood listed here will need a phytosanitary certificate with an AD ¹ in relation to <i>Euwallacea fornicatus sensu lato</i> , which is absent from GB.
Fruits of <i>Citrus</i> L., <i>Fortunella</i> Swingle, <i>Poncirus</i> Raf., and their hybrids, <i>Mangifera</i> L. and <i>Prunus</i> L.	Previous requirements related to <i>Tephritidae</i> (fruit flies) (non-European). The species of fruit flies of concern are now listed.	Official statement that: (a) the fruit originate in a country recognised as free from <i>Tephritidae</i> in accordance with the relevant International Standards for Phytosanitary Measures. Other option but not applicable to GB.	Will need AD ¹ in relation to the listed <i>Tephritidae</i> (fruit flies) which are absent from GB.
Fruits of <i>Momordica</i>	Country free from <i>Thrips palmi</i> in accordance with relevant International Standards for Phytosanitary Measures	Official statement that the fruits originate in: (a) a country recognised as free from <i>Thrips palmi</i> in accordance with the relevant International Standards for Phytosanitary Measures. Other option but not applicable to GB.	Will need AD ¹ in relation to <i>Thrips palmi</i> which is absent from GB.
Isolated bark of <ul style="list-style-type: none"> • <i>Acer macrophyllum</i> • <i>Aesculus californica</i> • <i>Lithocarpus densiflorus</i> • <i>Quercus</i> species • <i>Taxus brevifolia</i> 	None	Prohibited	New measure for hosts of <i>Phytophthora ramorum</i>
Plants of ...(long list of hosts of <i>Phytophthora ramorum</i> ³) other than fruit, pollen and seeds.	No previous requirements only included specific requirements for <ul style="list-style-type: none"> • <i>Viburnum</i> spp. • <i>Camellia</i> spp. 	Official statement that the plants: (b) no signs of <i>Phytophthora ramorum</i> (non-EU isolates) Werres, De Cock & Man in 't Veld have been observed on any	Plants listed here will need relevant inspection, testing and ADs ¹ on the PC.

	<ul style="list-style-type: none"> • <i>Rhododendron</i> spp 	<p>susceptible plants at the place of production during official inspections, including laboratory testing of any suspicious symptoms carried out since the beginning of the last complete cycle of vegetation, and</p> <p>a representative sample of the plants has been inspected before shipment and found free from <i>Phytophthora ramorum</i> (non-EU isolates) Werres, De Cock & Man in 't Veld in these inspections.</p> <p>Other option but not applicable to GB.</p>	
<p>Wood of</p> <ul style="list-style-type: none"> • <i>Acer macrophyllum</i> • <i>Aesculus californica</i> • <i>Lithocarpus densiflorus</i> • <i>Quercus</i> species • <i>Taxus brevifolia</i> <p>other than wood packaging material.</p>	<p>No previous requirements for wood in relation to <i>Phytophthora ramorum</i></p>	<p>Official statement that the wood:</p> <p>(b) has been stripped of its bark and:</p> <p>(i) it has been squared so as to remove entirely the rounded surface;</p> <p>or</p> <p>(ii) the water content of the wood does not exceed 20 % expressed as a percentage of the dry matter;</p> <p>or</p> <p>(iii) the wood has been disinfected by an appropriate hot-air or hot-water treatment,</p> <p>or</p> <p>(c) in the case of sawn wood with or without residual bark attached, has undergone kiln-drying to below 20 % moisture content, expressed as a percentage of dry matter, achieved through an appropriate time/temperature</p>	<p>Wood listed here need to be accompanied by a phytosanitary certificate and need relevant inspection, treatments and ADs¹ on the PC.</p>

		<p>schedule, indicated by a mark 'kiln-dried' or 'K.D.' or another internationally recognised mark, put on the wood or on any wrapping in accordance with current usage.</p> <p>Other option but not applicable to GB.</p>	
--	--	--	--

*2

<i>Acacia</i>	<i>Acer buergerianum</i>	<i>Acer macrophyllum</i>	<i>Acer negundo</i>
<i>Acer palmatum</i>	<i>Acer paxii</i>	<i>Acer pseudoplatanus</i>	<i>Aesculus californica</i>
<i>Ailanthus altissima</i>	<i>Albizia falcate</i>	<i>Albizia julibrissin</i>	<i>Alectryon excelsus</i>
<i>Alnus rhombifolia</i>	<i>Archontophoenix cunninghamiana</i>	<i>Artocarpus integer</i>	<i>Azadirachta indica</i>
<i>Baccharis salicina</i>	<i>Bauhinia variegata</i>	<i>Brachychiton discolor</i>	<i>Brachychiton populneus</i>
<i>Camellia semiserrata</i>	<i>Camellia sinensis</i>	<i>Canarium</i>	<i>Castanospermum australe</i>
<i>Cercidium floridum</i>	<i>Cercidium sonora</i>	<i>Cocculus laurifolius</i>	<i>Combretum kraussii</i>
<i>Cupaniopsis anacardioides</i>	<i>Dombeya cacuminum</i>	<i>Erythrina corallodendron</i>	<i>Erythrina coralloides</i>
<i>Erythrina falcata</i>	<i>Erythrina fusca</i>	<i>Eucalyptus</i>	<i>Ficus</i>
<i>Gleditsia triacanthos</i>	<i>Hevea brasiliensis</i>	<i>Howea forsteriana</i>	<i>Ilex cornuta</i>
<i>Inga vera</i>	<i>Jacaranda mimosifolia</i>	<i>Koelreuteria bipinnata</i>	<i>Liquidambar styraciflua</i>
<i>Magnolia grandiflora</i>	<i>Magnolia virginiana</i>	<i>Mimosa bracaatinga</i>	<i>Morus alba</i>
<i>Parkinsonia aculeata</i>	<i>Persea americana</i>	<i>Pithecellobium lobatum</i>	<i>Platanus x hispanica</i>
<i>Platanus mexicana</i>	<i>Platanus occidentalis</i>	<i>Platanus orientalis</i>	<i>Platanus racemosa</i>
<i>Podalyria calyptrata</i>	<i>Populus fremontii</i>	<i>Populus nigra</i>	<i>Populus trichocarpa</i>
<i>Prosopis articulata</i>	<i>Protium serratum</i>	<i>Psoralea pinnata</i>	<i>Pterocarya stenoptera</i>
<i>Quercus agrifolia</i>	<i>Quercus calliprinos</i>	<i>Quercus chrysolepis</i>	<i>Quercus engelmannii</i>
<i>Quercus ithaburensis</i>	<i>Quercus lobata</i>	<i>Quercus palustris</i>	<i>Quercus robur</i>
<i>Quercus suber</i>	<i>Ricinus communis</i>	<i>Salix alba</i>	<i>Salix babylonica</i>
<i>Salix gooddingii</i>	<i>Salix laevigata</i>	<i>Salix mucronata</i>	<i>Shorea robusta</i>
<i>Spathodea campanulata</i>	<i>Spondias dulcis</i>	<i>Tamarix ramosissima</i>	<i>Virgilia oroboides subsp. ferrugine</i>
<i>Wisteria floribunda</i>	<i>Xylosma avilae</i>		

*3

<i>Acer macrophyllum</i>	<i>Acer pseudoplatanus</i>	<i>Adiantum aleuticum</i>
<i>Adiantum jordanii</i>	<i>Aesculus californica</i>	<i>Aesculus hippocastanum</i>
<i>Arbutus menziesii</i>	<i>Arbutus unedo</i>	<i>Arctostaphylos</i>
<i>Calluna vulgaris</i>	<i>Camellia</i>	<i>Castanea sativa</i>
<i>Fagus sylvatica</i>	<i>Frangula californica</i>	<i>Frangula purshiana</i>
<i>Fraxinus excelsior</i>	<i>Griselinia littoralis</i>	<i>Hamamelis virginiana</i>
<i>Heteromeles arbutifolia</i>	<i>Kalmia latifolia</i>	<i>Larix decidua</i>
<i>Larix kaempferi</i>	<i>Larix x eurolepis</i>	<i>Laurus nobilis</i>
<i>Leucothoe</i>	<i>Lithocarpus densiflorus</i>	<i>Lonicera hispidula</i>
<i>Magnolia</i>	<i>Michelia doltsopa</i>	<i>Nothofagus obliqua</i>
<i>Osmanthus heterophyllus</i>	<i>Parrotia persica</i>	<i>Photinia x fraseri</i>
<i>Pieris</i>	<i>Pseudotsuga menziesii</i>	<i>Quercus</i>
<i>Rhododendron other than Rhododendron simsii</i>	<i>Rosa gymnocarpa</i>	<i>Salix caprea</i>
<i>Sequoia sempervirens</i>	<i>Syringa vulgaris</i>	<i>Taxus</i>
<i>Trientalis latifolia</i>	<i>Umbellularia californica</i>	<i>Vaccinium</i>
<i>Viburnum</i>		